0621
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Wednesbury Limited, trading as Element

Issue No: 055 **Issue date:** 22 May 2023

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BUILDING HARDWARE - locks and latches - mechanically operated locks, latches and locking plates	Return force of latch bolt	BS EN 12209:2003	A
	Resistance to side load on latch bolt	BS EN 12209:2003	A
	Torque to operate deadbolt	BS EN 12209:2003	A

0621
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Wednesbury Limited, trading as Element

Issue No: 055 **Issue date:** 22 May 2023

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BUILDING HARDWARE - locks and latches - mechanically operated	Resistance to side load on deadbolt	BS EN 12209:2003	A

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BUILDING HARDWARE - locks and latches - mechanically operated locks, latches and locking plates (cont'd)	Manual locking with intermediate locking positions	BS EN 12209:2003	A
	Automatically locking deadbolt	BS EN 12209:2003	A
	Automatically locking latch bolt	BS EN 12209:2003	A
	Torque to withdraw the latch bolt with key	BS EN 12209:2003	A
	Torque to withdraw latch bolt with handle	BS EN 12209:2003	A
	Strength of bolt actions	BS EN 12209:2003	A
	Minimum follower restoring torque	BS EN 12209:2003	A
	Non-interpassing of keys with just one interval differ	BS EN 12209:2003	A
	Operation time for locking and unlocking	BS EN 14846:2008	A
	Resistance to side load on latch	BS EN 14846:2008	A
	Torque to operate deadbolt	BS EN 14846:2008	A
	Strength of normal latch action and stops	BS EN 14846:2008	A
	Torque resistance of lockable follower	BS EN 14846:2008	A
	Durability of mechanical latch action without force applied	BS EN 14846:2008	A
	Mechanical latch action durability with a force applied	BS EN 14846:2008	A
	Durability of latch action or electric strike without force applied electrically operated	BS EN 14846:2008	A

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BUILDING HARDWARE - locks and latches - electromechanically operated locks and striking			

2 re W* n 3BT/F1 9.9623 1 0 0 1 45.6 64986118m 0 G [(2 re W* n O EMC q 181.73 601.27 15003.67 1413.67 1W* n /P <</MC

	Schedule of Accreditation **issued by** **United Kingdom Accreditation Service** 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK
0621 **Accredited to** **ISO/IEC 17025:2017**	**Element Materials Technology Wednesbury Limited, trading as Element** **Issue No:** 055 **Issue date:** 22 May 2023
Testing performed by the Organisation at the locations specified	

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
THIEF RESISTANT LOCK ASSEMBLIES - key egress - keyless egress - dual mode (cont'd)	Resistance to side load on deadbolt	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007+A2:2012 BS EN 12209:2003	A
	Resistance to drilling and side load on deadbolt	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007+A2:2012 BS EN 12209:2003	A
	Deadbolt projection	BS 3621:2007+A2:2012	

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
THIEF RESISTANT LOCK ASSEMBLIES - key egress - keyless egress - dual mode (cont'd)	Resistance to end load on box protected locking plate	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007+A2:2012 BS EN 12209:2003	A
	Resistance to side load on locking plate	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007+A2:2012 BS EN 12209:2003	A
	Resistance to pulling on locking plate	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007+A2:2012 BS EN 12209:2003	A
	Resistance to lifting force on locking plate	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007+A2:2012 BS EN 12209:2003	A
	Protection against removal from door	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007+A2:2012 BS EN 12209:2003	A
	Strength of key	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007+A2:2012 BS EN 12209:2003	A

0621
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Wednesbury Limited, trading as Element

Issue No: 055 **Issue date:** 22 May 2023

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
THIEF RESISTANT LOCK ASSEMBLIES - key egress - keyless egress - dual mode (cont'd)	Corrosion resistance (Test of operation at extremes of temperatures)	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007:A2:2012 BS EN 1303:2005	A
	Operation of the security mechanism	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007:A2:2012 BS EN 1303:2005	A
	Torque resistance of plug and/or cylinder	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007:A2:2012 BS EN 1303:2005	A
	Resistance to drilling	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007:A2:2012 BS EN 1303:2005	A
	Resistance to attack by chisel	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007:A2:2012 BS EN 1303:2005	A
	Resistance to attack by twisting	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007:A2:2012 BS EN 1303:2005	A
	Resistance to attack by plug/cylinder extraction	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007:A2:2012 BS EN 1303:2005	A
	Security hardware and cylinder test - Part 1 - Part 2	BS 3621:2007+A2:2012 BS 8621:2007+A2:2012 BS 10621:2007+A2:2012	A
REPLACEMENT LOCK CYLINDERS and ASSOCIATED HARDWARE	Enhanced security performance	DHF TS007:2014+A2:2018	A

LETTER.44 ref330.07 138.8

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

0621

Accredited to

ISO/IEC 17025:2017

Element Materials Technology Wednesbury Limited, trading as Element

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DOORS (cont'd)	Resistance to hard body impact	BS 6375-2:2009 BS EN 950:1999	A
	Resistance to repeated opening and closing	BS 6375-2:2009 BS EN 1191:2000	A
	Operating forces	BS 6375-2:2009 BS EN 12046-2:2000	A
	Strength of safety devices	BS 6375-2:2009 BS EN 948:1999 Documented In-House Method No EX-FI-OP-BH-WL-SOP-055	A
	Closure against obstruction	BS 6375-3:2009+A1:2013	A
PEDESTRIAN DOORSETS (single and multi-leaf) and WINDOWS groups 1 and 2	Burglar resistance Resistance under static loading Resistance classes 1, 2 and 3	BS EN 1628:2011 BS EN 1627:2011 following the UK Police Service Secured By Design (SBD) interpretive document (Issue 7 Published 27th March 2013) for BS EN 1627:2011, BS EN 1628:2011, BS EN 1629:2011 and BS EN 1630:2011	A
	Burglar resistance Resistance under dynamic loading Resistance classes 1, 2 and 3	BS EN 1629:2011 BS EN 1627:2011 following the UK Police Service Secured By Design (SBD) interpretive document (Issue 7 Published 27th March 2013) for BS EN 1627:2011, BS EN 1628:2011, BS EN 1629:2011 and BS EN 1630:2011	A
	Burglar resistance Resistance to manual burglary attempts Resistance classes 1, 2 and 3	BS EN 1630:2011 BS EN 1627:2011 following the UK Police Service Secured By Design (SBD) interpretive document (Issue 7 Published 27th March 2013) for BS EN 1627:2011, BS EN 1628:2011, BS EN 1629:2011 and BS EN 1630:2011	A

Materials/Products tested

	Schedule of Accreditation **issued by** **United Kingdom Accreditation Service** 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK
0621 **Accredited to** **ISO/IEC 17025:2017**	**Element Materials Technology Wednesbury Limited, trading as Element** **Issue No:** 055 **Issue date:** 22 May 2023
Testing performed by the Organisation at the locations specified	

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
AUTOMOTIVE TRIM and COMPONENTS (cont'd)	Colour fastness to rubbing	BS EN ISO 105-X12:2016 Ford FLTM BN107-01 VW PV 3906	A
	Scratch resistance	Ford FLTM BN 108-13	

[redacted]

Schedule of Accreditation
issued by
d Kingdom Accreditation Service
Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

s Technology Wednesbury Limited, trading as Element
Issue No:

0621
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Wednesbury Limited, trading as Element

Issue No: 055 **Issue date:** 22 May 2023

Testing performed by the Organisation at the locations specified

Accreditation for the purpose of Notified Body Activity relating to the Northern Ireland market (CE + UKNI) taking into account EA-2/17

Directive / Regulation	Conformity Assessment Procedure / Module / Article	Category of Products or Individual Products	Essential Requirements: Product Specification / Properties / Standards
Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020	Annex V - Testing Laboratory (AVCP) System 3 - including testing away from site (Article 46)	99/93/EC Doors, windows, shutters, blinds, gates and related building hardware (1/1) : - Doors and gates (with or without related hardware) (other declared specific uses and/or uses subject to other specific requirements, in particular noise, energy, tightness and safety-in-use (i.e. NOT for fire/smoke compartmentation, NOT for escape routes).	EN 13241:2003 + A2:2016 EN 14351-1:2006+A2:2016