Test Technology:	**Test Method(s) [3]:**
Emissions	
U.S. / Canada	CFR 47, FCC Part 15, Subpart B (using ANSI C63.4-2014); 47 CFR FCC Part 18 (using FCC MP-5:1986); ICES-001 (Issue 5, July 2020); ICES-002 (Issue 7, September 2020); ICES-003 (Issue 7, October 2020); ICES-004 (Issue 5, October, 2022); ICES-005 (Issue 5, December 2018); ICES-006 (Issue 3, July 2018)
International	IEC/CISPR 11 Ed. 6.0 (2015) +A1 (2016); CISPR 11 Ed. 6.2 (2019); CISPR 11: 2015 A1:2016 A2:2019; IEC/CISPR 11 Ed. 4.1 (2004-06) +A2 (2006); IEC/CISPR 11 Ed. 5 (2009-05) +A1 (2010); CISPR 12 (2007) + A1 (2009); CISPR 14-1:2020; CISPR 14-1 (2005) + A1 (2008) + A2 (2011); CISPR 14-1 (2016); IEC/CISPR 15 (2018); CISPR 15 (2009); IEC/CISPR 22 Ed. 5 (2005) +A1(2005) +A2 (2006); IEC/CISPR 22 Ed. 6.0 (2008-09); CISPR 32 Ed. 2.1 (2015) + A1(2019); CISPR 32 Ed. 1 (2012-01); CISPR 16-2-1:2014; CISPR 16-2-1:2014+A1:2017; CISPR 16-2-2:2010; CISPR 16-2-3:2016; CISPR 16-2-3:2019

Test Technology:	**Test Method(s) [3]:**
Europe	EN 55011 (2009) +A1(2010); EN 55011:2016 +A1:2017 +A11:2020 +A2:2021; EN 55014-1 (2006) + A1(2009) +A2(2011); EN 55014-

Test Technology:	**Test Method(s) [3]:**
Radiated Immunity	IEC 61004-3; EN 61000-4-3; EN 61000-4-3 (2006) +A1 (2008) +A2 (2010); KS C 9610-4-3; SANS 61000-4-3 Ed. 3.1 (2008)
Electrical Fast Transient/Burst (EFT)	IEC 61000-4-4; EN 61000-4-4; IEC 61000-4-4 (2012-04) + Ed. 2.0 (2004-07)+A1 (2010); KS C 9610-4-4; SANS 61000-4-4 Ed. 2.1 (2011)
Surge	IEC 61000-4-5; EN 61000-4-5; IEC 61000-4-5 Ed. 3.1 (2017); IEC 61000-4-5 Ed. 3.0 (May 2014); IEC 61000-4-5 Ed. 1.1 (2005-11); EN 61000-4-5 (2014)+A1(2017); KS C 9610-4-5; SANS 61000-4-5 Ed. 2 (2006)
Conducted Immunity	IEC 61000-4-6; EN 61000-4-6; IEC 61000-4-6 Ed. 4.0 (2013); IEC 61000-4-6 Ed. 4 (2008); KS C 9610-4-6; SANS 61000-4-6 Ed. 4 (2017)
Magnetic Field	IEC 61000-4-8; EN 61000-4-8; IEC 61000-4-8, Ed. 1.1 (2001); IEC 61000-4-8 (2009); KS C 9610-4-8; SANS 61000-4-8, Ed. 2 (2009)
Pulsed Magnetic Field	IEC 61000-4-9; EN 61000-4-9; BS EN 61000-4-9 (2016); SANS 61000-4-9 Ed. 1.1 (2003); IEC 61000-4-9 (2016); KS C 9610-4-9
Damped Oscillatory Magnetic Field	IEC 61000-4-10; EN 61000-4-10; IEC 61000-4-10 (2016); SANS 61000-4-10 Ed. 1.1 (2003)
Voltage Dips, Short Interruptions and Voltage Variations	IEC 61000-4-11; EN 61000-4-11; IEC 61000-4-11, Ed. 2.1 (2017); EN 61000-4-11 (2004) +A1 (2017); IEC 61000-4-11 Ed. 2 (2004-03); SANS 61000-4-11 Ed. 1 (2005); KS C 9610-4-11
Mains Harmonics and Interharmonics	IEC 61000-4-13; EN 61000-4-13; SANS 61000-4-13 Ed. 1.1 (2009)
Mains Voltage Fluctuations	IEC 61000-4-14; EN 61000-4-14; IEC 61000-4-14:1999 + AMD1:2001 + AMD2:2009; SANS 61000-4-14 Ed. 1.2 (2009)
Conducted Common Mode Disturbances	IEC 61000-4-16; EN 61000-4-16; IEC 61000-4-16 Ed. 2.0 (2015); BS EN 61000-4-16 (2016); SANS 61000-4-16, Ed. 1.2 (2011)
DC Ripple Input Power	IEC 61000-4-17; EN 61000-4-17; EN 61000-4-17:1999+A2:2009; IEC 61000-4-17 Ed. 1.2 (2009)
Variation of Power Frequency	IEC 61000-4-28; EN 61000-4-28; IEC 61000-4-28 (1999) + A1 (2001) + A2 (2009); SANS 61000-4-28 Ed. 2.1 (2009)



Test Technology:	**Test Method(s) [3]:**
HOUS *(excluding Transient Over Voltages, Resistance to Rusting, Radiation and similar Hazards, Software Evaluation, UV-C Radiation Effect on Non-Metallic Materials)*	IEC 60335-1; EN 60335-1; IEC 60335-2-45 Ed. 3.2 (2012); UL 60335-1; CAN/CSA-C22.2 No. 60335-1; ANSI AAMI ES60601-1:2005/(R)2012 & A1:2012, C1:2009/(R)2012 & A2:2010/(R)2012 (Cons. Text) [Incl. AMD2:2021]
ITAV (*excluding Cathode Ray Tube, Flammable Liquids, Ionizing Radiation, Effect of UV Radiation on Material, Mandrel Test and Operating Voltages Test*)	IEC 62368-1:2014; EN 62368-1:2014; IEC 62368-1:2018; IEC 62368-1:2023; IEC 62368-1; EN 62368-1; UL 62368-1; EN 13611 (2015) + A1 (2016); EN 298 (2012); EN 50156-1 (2015) + A1 (2016); CAN/CSA-C22.2 No. 62368-1
Radio	
US (FCC)	47 CFR FCC Part 15, Subpart C (using ANSI C63.10;2013); 47 CFR FCC Part 15, Subpart D (using ANSI C63.17:2013); 47 CFR

Test Technology:	**Test Method(s) [3]:**
Europe (*excluding Protocol Testing*) *(cont.)*	ETSI EN 301 166 V2.1.1 (2016-11); ETSI EN 301 357 V2.1.1 (2017-06); ETSI EN 301 502 V12.5.2 (2017-03); ETSI EN 301 511 V12.5.1 (2017-03); ETSI EN 301 511 V12.1.1 (2015-06); ETSI EN 301 839 V2.1.1 (2016-04); ETSI EN 301 893 V2.1.1 (2017-05); ETSI EN 301 908-1 V13.1.1 (2019-11); ETSI EN 301 908-1 V15.1.1 (2021-09); ETSI EN 301 908-1 V15.2.1:2023-01; ETSI EN 301 908-2 V11.1.2 (2017-08); ETSI EN 301 908-2 V11.1.1 (2016-07); ETSI EN 301 908-3 V11.1.3 (2017-04); ETSI EN 301 908-3 V13.1.1 (2019-09); ETSI EN 301 908-11 V11.1.2 (2017-01); ETSI EN 301 908-13 V11.1.1 (2016-07); ETSI EN 301 908-13 V11.1.2 (2017-07); ETSI EN 301 908-13 V13.2.1 (2022-02); ETSI EN 301 908-14 V11.1.2 (2017-04); ETSI EN 301 908-14 V13.1.1 (2019-09); ETSI EN 301 908-14 V15.1.1 (2021-09); ETSI EN 301 908-15 V11.1.2 (2017-01); ETSI EN 301 908-15 V15.1.1 (2020-01); ETSI EN 302 195 V2.1.1 (2016-06); ETSI EN 302 208 V3.1.1 (2016-11); ETSI EN 302 208 V3.3.1 (2020-05); ETSI EN 302 537 V2.1.1 (2016-10); ETSI EN 303 413 V1.1.1 (2017-06); ETSI EN 303 413 V1.2.1 (2021-04); ETSI EN 303 417 V1.1.1 (2017-09); ETSI EN 301 489-1 V2.1.1 (2017-02); ETSI EN 301 489-1 V2.2.3 (2019-11); ETSI EN 301 489-3 V2.1.1 (2019-03); ETSI EN 301 489-3 V1.6.1 (2013-08); ETSI EN 301 489-3 V2.3.2 (2023-01); ETSI EN 301 489-5 V2.1.1 (2016-11); ETSI EN 301 489-6 V2.1.1 (2016-11); ETSI EN 301 489-6 V2.2.1 (2019-04); ETSI EN 301 489-8 V1.2.1 (2002-08); ETSI EN 301 489-9 V1.4.1 (2007-11); ETSI EN 301 489-9 V2.1.1 (2019-04); ETSI EN 301 489-17 V3.1.1 (2017-02); ETSI EN 301 489-17 V3.2.4 (2020-09); ETSI EN 301 489-19 V2.1.1 (2019-04); ETSI EN 301 489-19 v2.2.1 (2022-09); ETSI EN 301 489-23 V1.5.1 (2011-11); ETSI EN 301 489-24 V1.5.1 (2010-10); ETSI EN 301 489-27 V2.1.1 (2016-12); ETSI EN 301 489-27 V2.2.1 (2019-04);

Test Technology:	**Test Method(s) [3]:**
Korea (*cont.)*	RRA Public Notification 2012-21 (Nov. 06, 2012); RRA Announce 2013-33, (Jul 26, 2013) Korean only; RRA Notice 2014-2, K only (Feb. 4, 2014); RRA Announce 2014-90 (Dec. 23, 2014); RRA Announce 2015-81 (Sep. 30, 2015) Korea only; RRA Announce 2015-135 (Jan. 5, 2016); RRA Notice 2017-7, Korean only (Aug. 4, 2017); RRA Public Notification 2015-23 (Nov. 18 2015); RRA Public Notification 2017-8 (Aug. 28 2017); RRA Public Notification 2011-24 (Dec. 23, 2011); RRA Announce 2012-21, K only (Jun. 28, 2012); RRA 2013-3 and 2013-24, June 17, 2013, Korean only; RRA 2014-8 and RRA 2014-37 (June 23, 2014); RRA Public Notification 2015-27 (Dec. 03 2015); RRA Announce 2015-110 (Dec. 3, 2015); RRA Public Notification 2016-26 (Dec.19 2016); RRA Announce 2016-79 (Dec.19 2016); RRA Public Notification 2017-19 (Dec. 28, 2017); RRA Announce 2017-71 (Dec. 28, 2017); Technical Requirements for Measurement of Electromagnetic Field Strength (RRA Public Notification 2021-22, Nov 29, 2021)
Australia / New Zealand	AS/NZS 4268 (2017); AS/NZS 4268 (2012) + A1 (2013); AS/NZS 4268:2017 + A1:2021; Radiocommunications Equipment (General) Rules 2021 – Schedule 4 EME standard using measurement method AS/NZS 2772.2; Radiocommunications Equipment (General) Rules 2021 – Schedule 5,

Test Technology:	**Test Method(s) [3]:**
Vietnam	QCVN 11 (2010): BTTTT; QCVN 12 (2015): BTTTT; QCVN 13 (2010): BTTTT; QCVN 15 (2015): BTTTT; QCVN 16 (2018): BTTTT; QCVN 18 (2022):BTTTT; QCVN 41 (2011): BTTTT; QCVN 41 (2016): BTTTT; QCVN 42 (2011): BTTTT; QCVN 54 (2020): BTTTT; QCVN 55 (2011): BTTTT; QCVN 65 (2013): BTTTT; QCVN 65 (2021): BTTTT; QCVN 73 (2013): BTTTT;

[2] The laboratory is only accredited for testing activities outlined within the test methods listed above. Reference to any other activity within these standards, such as risk management or risk assessment, does

Testing Activities Performed in Support of FCC Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1[4]:

Rule Subpart/Technology	**Test Method(s)**	**Maximum Frequency (MHz)**
Citizens Broadband Radio Services (FCC Licensed Radio Service Equipment) Part 96	ANSI/TIA-603-E; TIA-102.CAAA-E; ANSI C63.26:2015	220000
Maritime and Aviation Radio Services Parts 80 and 87	ANSI/TIA-603-E; ANSI C63.26:2015	220000
Microwave and Millimeter Bands Radio Services Parts 25, 30, 74, 90 (above 3 GHz), 95 (above 3 GHz), 97 (above 3 GHz), and 101	ANSI/TIA-603-E; TIA-102.CAAA-E or ANSI C63.26:2015	220000
Signal Boosters Part 20 (Wideband Consumer Signal Boosters, Provider-specific Signal Boosters, and Industrial Signal Boosters), Section 90.219	ANSI C63.26:2015	220000

[4]Accreditation does not imply acceptance to the FCC equipment authorization program. Please see the FCC website (https://apps.fcc.gov/oetcf/eas/) for a listing of FCC approved laboratories

Testing Activities performed under the scope of the U.S FDA ASCA Pilot Program Specifications: *Basic Safety and Essential Performance of Medical Electrical Equipment, Medical Electrical Systems, and Laboratory Medical Equipment – Standards Specific Information for the Accreditation Scheme for Conformity Assessment (ASCA) Pilot Program* published on September 25th, 2020, and in accordance with all requirements of A2LA *R256 Specific Requirements- FDA ASCA Program* [5]	
Standards:	**Document Number:**
ISO 80601-2-55, 2018	1-140
ISO 80601-2-61 Second edition 2017-12 (Corrected version 2018-02)	1-139
IEC 60601-2-25 Edition 2.0, 2011-10	3-105
IEC 60601-2-27 Edition 3.0, 2011	3-126
IEC 60601-2-47 Edition 2.0, 2012-02	3-155
IEC 60601-1-2 Edition 4, 2014-02	19-8
IEC 60601-2-2 Edition 6.0 2017-03 (EMC testing only)	6-389
IEC 60601-2-50, Edition 2.1, 2016	6-387
IEC 80601-2-30, 2018	3-123
IEC 60601-2-34, 2011	3-115

[5] These methods have been assessed by A2LA according to A2LA's FDA ASCA Program requirements. Accreditation by A2LA does not imply FDA ASCA-Accreditation. All ASCA-accreditation decisions for testing laboratory applications are made solely by the FDA, a list of approved laboratories can be found at FDA.gov.

Accredited Laboratory Testing